

APPLICATION FOR APPROVAL EXTENSION OF A TYPE OF PNEUMATIC TYRE ACCORDING  
TO ECE REGULATION No. 30, 02 SERIES OF AMENDMENTS

---

- |      |  |   |  |
|------|--|---|--|
| 1.   | Manufacturer's name or trade mark(s) on the tyre type <sup>(2)</sup> | : | SAILUN;ROVELO;IMPERIAL;VELOZZA ZXV   |
| 2.   | Tyre type designation by the manufacturer <sup>(2)</sup>             | : | ATREZZO SH402; ATREZZO TOURING LS; ATREZZO Z4+AS; ATREZZO ZS+;RPX-988; ECODRIVER SPORT; VELOZZA ZXV; ATREZZO ZSR; <u>ATREZZO ELITE</u>                             |
| 3.   | Manufacturer's name and address                                      | : | Sailun Group Co., Ltd.<br>West of Jiangshan Middle Road,<br>Economic & Technological Development District,<br>(Hi-tech Industrial Park),<br>QINGDAO,<br>P.R. China |
| 4.   | If applicable, name and address of the manufacturer's representative | : | N.A.   |
| 5.   | Summarized description   |   |  |
| 5.1. | Tyre size designation  | : | 205/55R16  |
| 5.2. | Category of use  | : | <del>normal/snow/special use/temporary use</del> <sup>(1)</sup>  |
| 5.3. | Structure  | : | <del>diagonal/bias belted/radial/run flat tyre</del> <sup>(1)</sup>  |
| 5.4. | Speed category symbol  |   | W  |
| 5.5. | Load-capacity index  |   | 91   |
| 6.   | Overall dimensions   | : | <del>ETRTO/calculated/Annex 5</del>  |
|      | overall section width  | : | 214  |
|      | outer diameter   | : | 632  |
| 7.   | Factor 'x'   | : | 0.70   |
| 8.   | Rims on which the tyre can be mounted                                | : | 6.5J x16   |
| 9.   | Measuring rim and test rim   | : | See attached test report   |
| 10.  | State whether the tyre is  | : | Tubeless / <del>tube type</del>  |
| 11.  | State whether the tyre is  | : | Standard / <del>reinforced</del>   |
| 12.  | State if special use tyre  | : | n.a.   |
|      | Professional Off-Road  | : | <del>Yes/no</del>  |
|      | Tread depth  | : | n.a.   |
|      | Void to fill ratio   | : | n.a.   |
| 13.  | Submitted for approval on (date)                                     | : | Sept. 10, 2015   |

We herewith declare that we have not applied and will not apply for approval with another Contracting Party of the ECE for the same type of product.

MANUFACTURER'S STAMP


Signature :

.....*Gao Min*.....

Name: Gao Min

THIS APPLICATION IS ACCOMPANIED BY:

- A drawing of the tyre's side wall, tread and dimensioned cross section.
- The test report.



(1) Strike out what does not apply.

(2) Modified points are underlined for extension.

**THE NETHERLANDS**  
(N E D E R L A N D)**COMMUNICATION**Concerning <sup>(1)</sup>:

- ~~approval granted~~
- approval extended
- ~~approval refused~~
- ~~approval withdrawn~~
- ~~production definitely discontinued~~

of a type of pneumatic tyre for motor vehicles pursuant to Regulation number 30.

**Approval number: E4-30R-0249647****Extension number: 02**

1. Manufacturer's name or trade mark(s) on the tyre type : SAILUN; ROVELO; IMPERIAL; VELOZZA ZXV
2. Tyre type designation by the manufacturer : ATREZZO SH402; ATREZZO TOURING LS; ATREZZO Z4+AS; ATREZZO ZS+; RPX-988; ECODRIVER SPORT; VELOZZA ZXV; ATREZZO ZSR; ATREZZO ELITE
3. Manufacturer's name and address : Sailun Group Co., Ltd.  
West of Jiangshan Middle Road, Economic & Technological Development District, (Hi-tech Industrial Park), QINGDAO, China
4. If applicable, name and address of the manufacturer's representative : not applicable
5. Summarised description
  - 5.1. Tyre size designation : 205/55R16
  - 5.2. Category of use : normal/~~snow~~/~~special use~~/~~temporary use~~ <sup>(1)</sup>
  - 5.3. Structure : ~~diagonal~~/~~bias belted~~/radial/~~run flat~~ tyre <sup>(1)</sup>
  - 5.4. Speed category symbol : W
  - 5.5. Load-capacity index : 91



6. Technical service and, where applicable, test laboratory approved for purposes of approval or of verification of conformity : TÜV Rheinland Kraftfahrt GmbH  
Technologiezentrum Verkehrssicherheit  
Typprüfstelle Fahrzeuge/Fahrzeugteile  
Am Grauen Stein  
D-51105 Köln (Poll)
7. Date of report issued by that service : Feb. 03, 2016
8. Number of report issued by that service : 86-R30-0456/16-00
9. Reason(s) of extension (if applicable) : Addition of tyre type designation
10. Any remarks : ---
11. Approval : ~~granted/extended/refused/withdrawn~~<sup>(1)</sup>
12. Place : Zoetermeer
13. Date : 15-FEB-2016
14. Signature :





**R.F.R. Clement**


15. The list of documents in the approval file which are deposited at the administrative service having delivered the approval and which can be obtained upon request.
- Application form relating to ECE approval for a pneumatic tyre pursuant to Regulation number 30.
  - The drawing of the tyre's sidewalls, tread and dimensioned cross-section.
  - The test report as mentioned in item 8.

---


<sup>(1)</sup> Strike out what does not apply.



UPPER



LOWER




ATREZZO ELITE

|   |   |    |   |
|---|---|----|---|
| 1 | MADE IN CHINA   | 9  | 205/55R16   |
| 2 | SAILUN  | 10 | RADIAL TUBELESS   |
| 3 | 205/55R16 91W   | 11 | PLIES:TREAD 1POLYESTER+2STEEL+1NYLON<br>SIDEWALL 1POLYESTER |
| 4 | DOT 53BO A26 XXXX (DATE CODE)                             |    |   |
| 5 | ATREZZO   | 12 | TREADWEAR 360 TRACTION A TEMPERATURE A                      |
| 6 | MAX. LOAD 615kg (1356LBS) AT<br>300kPa (44PSI) MAX. PRESS | 13 | SAFETY WARNING  |
|   |   | 14 | OUTSIDE   |
| 7 | ELITE   |    |   |
| 8 | INSIDE  |    |   |

| TIRE SIZE | A(mm) | B(mm) | C(INCH) | LOAD INDEX<br>SPEED CODE | REMARK |
|-----------|-------|-------|---------|--------------------------|--------|
| 205/55R16 | 632   | 214   | 6.5     | 91W                      |        |

|                       |                 |             |          |             |              |             |               |
|-----------------------|-----------------|-------------|----------|-------------|--------------|-------------|---------------|
| SCALE : FREE          | DATE : 15/08/31 | DESIGNED BY | DRAWN BY | CHECKED BY  | APPROVED BY  | DRAWING NO. | E4-BOA26      |
| SaiLun Group Co., Ltd | -               |             | Wang An  | Wang Daidao | Jiangjunlong | TITLE       | 205/55R16 91W |



Tyre size : 205/55R16  
Manufacturer : Sailun Group Co., Ltd.

---

## TEST REPORT

according to the ECE-Regulation

### Uniform provisions concerning the approval of pneumatic tyres for motor vehicles and their trailers

including all amendments until  
... ECE-R30, Amend.02, Suppl. 17...

---

Approval Status

ECE approval : E4-30R-0249647 Ext.02

---

Structure of the Test Report

Item No.

0. General information
  1. Tested object(s)
  2. Test record
  3. List of appendices
  4. Statement of conformity
- 

The Test Report shall be reproduced and published in full by the client only. It shall however be reproduced partially with the written permission of the Testing Laboratory only.



Tyre size : 205/55R16  
 Manufacturer : Sailun Group Co., Ltd.

## 0. General Information

- 0.1. Trade name or mark(s) : SAILUN; ROVELO; IMPERIAL; VELOZZA ZXV
- 0.2. Tyre type designation(s) by the manufacturer : ATREZZO SH402; ATREZZO TOURING LS;  
 ATREZZO Z4+AS; ATREZZO ZS+; RPX-988;  
 ECODRIVER SPORT; VELOZZA ZXV; ATREZZO  
 ZSR;  
ATREZZO ELITE
- 0.3. Tyre size designation : 205/55R16
- 0.4. Manufacturer's name and address : Sailun Group Co., Ltd.  
 West of Jiangshan Middle Road, Economic &  
 Technological Development District, (Hi-tech Industrial  
 Park), QINGDAO, China
- 0.5. No. of the information folder : n/a  
 -Date of issue : October 28, 2009  
 -Date of last change : Sep. 10, 2015

## 1. Tested object(s)

- 1.1. Object markings
- Trade name or mark : SAILUN
- Tyre type designation : ATREZZO SH402
- Plies of Tread / Sidewall : 1 POLYESTER + 2 STEEL + 1 NYLON /  
 1 POLYESTER
- Tyre size designation : 205/55R16
- Category of use : Normal
- Indication of category of use : n/a
- Structure : radial
- indication / symbol of structure : word "RADIAL", letter "R" in front of rim diameter  
 marking
- Speed category : W
- Load-Capacity Indices(L.I.) : 91
- Word in case of without inner tube : TUBELESS
- Word in case of reinforced tyre : n/a (Standard tyre)
- Date of manufacture : 4309
- 1.2. Worst case selection : n/a
- 1.3. Remarks : All versions of the types as stated in the information  
 folder are covered by the tested object(s) respectively.

## 2. Test record

- 2.1. Equipment for measuring and testing : The test facilities / measurement equipment used were in  
 compliance with the test requirements.



Tyre size : 205/55R16  
 Manufacturer : Sailun Group Co., Ltd.

2.2. Test results

Remarks concerning extension : ~~The type has been tested according to the modification(s) mentioned in appendix 0.~~

An actual practical test of the object was not necessary.  
 The results of the previous test(s) are still valid.

Test results refer to test report No. 86-R30-741/09 corresponding to approval number E4-30R-0249647 Ext.00

2.3. Additional information

: The results of the test refer exclusively to the object(s) mentioned under point 1. of this report.

Test site

: Sailun Group Co., Ltd.  
 West of Jiangshan Middle Road, Economic & Technological Development District, (Hi-tech Industrial Park), QINGDAO, China

Test date

: ---

2.4. Remarks

: ---

3. List of Appendices

Appendix 0 : List of modifications

4. Statement of conformity

The above mentioned information folder and the type described in that comply with the requirements mentioned on page 1. The mentioned test results refer to the object(s) described under point 1.1 of this report.

Engineering centre Shanghai, / Feb. 03, 2016  
 AY



Andy Yang  
 Expert Technical Service



Tyre size : 205/55R16  
Manufacturer : Sailun Group Co., Ltd.

---

List of modifications

Appendix 0

Correction of : ---  
Modification of : ---  
Addition of : Tyre type designation  
Deletion of : ---

